



**GMK RANGE OF SAFES**

This safe represents an excellent mix of value and strength. Construction is 10mm thick door & frame with multiple rotating locking bolts. 8 lever double bitted key locking mechanism. Door has anti-bludgeon rounded edges to help prevent door being forced back towards the hinge side. Supplied with fixing bolts.

Technomax GMK series safes are certified according to European Standard EN 14450,

This certification is a guarantee of quality and of reliability of manufacturing



External dimensions mm.

| Article | Height | Width | Depth | Weight |
|---------|--------|-------|-------|--------|
| GMK/3   | 220    | 350   | 300   | 25Kg   |
| GMK/4   | 280    | 400   | 350   | 35.5Kg |
| GMK/5   | 350    | 470   | 350   | 47.5Kg |
| GMK/6   | 430    | 490   | 350   | 56Kg   |
| GMK/7   | 490    | 430   | 400   | 61Kg   |



**GKA RANGE OF SAFES**

This is a twin wall version of our GMK range. There is a layer of fire resistant material between the 2 walls to provide a level of fire protection. Construction is 10mm thick door & frame with multiple rotating locking bolts. 8 lever double bitted key locking mechanism. Door has anti-bludgeon rounded edges to help prevent door being forced back towards the hinge side.

External dimensions mm.

| Article | Height | Width | Depth | Weight |
|---------|--------|-------|-------|--------|
| GKA/5   | 365    | 470   | 400   | 62Kg   |
| GKA/7   | 505    | 430   | 400   | 73Kg   |



**GMT RANGE OF SAFES**

Construction is 10mm thick door & frame with multiple rotating locking bolts. Digital electronic combination lock with physical key over-ride. Door has anti-bludgeon rounded edges to help prevent door being forced back towards the hinge side.

Technomax GMT series safes are certified according to European Standard EN 14450,

This certification is a guarantee of quality and of reliability of manufacturing



External dimensions mm.

| Article | Height | Width | Depth | Weight |
|---------|--------|-------|-------|--------|
| GMT/3P  | 220    | 350   | 300   | 25Kg   |
| GMT/4P  | 280    | 400   | 350   | 35.5Kg |
| GMT/5P  | 350    | 470   | 350   | 47.5Kg |
| GMT/6P  | 430    | 490   | 350   | 56Kg   |
| GMT/7P  | 490    | 430   | 400   | 61Kg   |



**GTA RANGE OF SAFES**

This is a twin wall version of our GMT range. There is a layer of fire resistant material between the 2 walls to provide a level of fire protection. Construction is 10mm thick door & frame with multiple rotating locking bolts. Digital electronic combination lock with physical key over-ride. Door has anti-bludgeon rounded edges.

External dimensions mm.

| Article | Height | Width | Depth | Weight |
|---------|--------|-------|-------|--------|
| GTA/5P  | 365    | 470   | 400   | 62Kg   |
| GTA/7P  | 505    | 430   | 400   | 73Kg   |





**GT RANGE OF SAFES**

This is the Technomax range of electronic wall safes

- 10mm door and frame
- Removable internal shelf
- Anti-bludgeon door
- Key and power over-rides

External dimensions mm.

| Article | Height | Width | Depth | Weight |                               |
|---------|--------|-------|-------|--------|-------------------------------|
| GT/3P   | 210    | 340   | 200   | 13Kg   |                               |
| GT/4P   | 270    | 390   | 200   | 18Kg   |                               |
| GT/5P   | 340    | 460   | 200   | 25Kg   |                               |
| GT/6P   | 420    | 480   | 230   | 34Kg   |                               |
| GT/7P   | 480    | 420   | 280   | 35Kg   | Silca key blank for over-ride |
| GT/7LP  | 480    | 420   | 360   | 37Kg   | 5SCM10                        |



**GTR RANGE OF SAFES**

This safe is designed for commercial properties. It has a time delay feature, mains adaptor designed for constant use, power battery pack, power over-ride and a letter slot to deposit cash. Digital electronic combination lock with physical key over-ride. Door has anti-bludgeon rounded edges to help prevent door being forced back towards the hinge side.

Time delay feature



External dimensions mm.

| Article | Height | Width | Depth | Weight |                               |
|---------|--------|-------|-------|--------|-------------------------------|
| GTR/4P  | 280    | 400   | 350   | 35.5Kg | Silca key blank for over-ride |
| GTR/6P  | 430    | 490   | 350   | 56Kg   | 5SCM10                        |



**SS RANGE OF SAFES**

This is the Technomax range of key operated wall safes

- It features 6mm door and frame, rolling bolts, 6 lever double bitted key

Economically priced

External dimensions mm.

| Article | Height | Width | Depth | Weight |                 |
|---------|--------|-------|-------|--------|-----------------|
| SS/1    | 210    | 270   | 150   | 9Kg    |                 |
| SS/2    | 210    | 270   | 200   | 9.5Kg  |                 |
| SS/3    | 210    | 340   | 200   | 11.5Kg |                 |
| SS/3B   | 210    | 340   | 150   | 11Kg   |                 |
| SS/3C   | 210    | 340   | 100   | 10.5Kg | Silca key blank |
| SS/4    | 270    | 390   | 200   | 18Kg   | 5SCM10          |



**GMK/4 SLOT**

This safe is designed with a letter slot to deposit cash. The door has anti-bludgeon rounded edges to help prevent door being forced back towards the hinge side. It is fitted with an 8 lever lock.

- 10mm front thickness
- 10mm door thickness
- 5mm body thickness

External dimensions mm.

| Article    | Height | Width | Depth | Weight |                       |
|------------|--------|-------|-------|--------|-----------------------|
| GMK/4 SLOT | 280    | 400   | 350   | 35.5Kg | Silca key blank 5SCM8 |





**ACH SAFES**

6 lever double bitted key lock

Rounded security door

shelf, carpet and fixings included

Italian made yet very economically priced

| Article | External dimensions mm. |       |       | Weight |
|---------|-------------------------|-------|-------|--------|
|         | Height                  | Width | Depth |        |
| 728/ACH | 200                     | 310   | 280   | 10Kg   |
| 730/ACH | 220                     | 350   | 300   | 14Kg   |
| 745/ACH | 200                     | 400   | 450   | 16Kg   |



**AMP SAFES**

Digital keypad / electronic locking safe

Motorized bolts rounded security door

shelf, carpet and fixings included

This safe comes with a key over-ride, power over-ride and code over-ride

| Article | External dimensions mm. |       |       | Weight |
|---------|-------------------------|-------|-------|--------|
|         | Height                  | Width | Depth |        |
| 728/AMP | 200                     | 310   | 280   | 10Kg   |
| 730/AMP | 220                     | 350   | 300   | 14Kg   |
| 745/AMP | 200                     | 400   | 450   | 16Kg   |



**SMK/8**

Technomax safe in cream colour with key locking

8mm door

6 lever double bitted key lock

Ideal as a safe for drugs & first aid applications

600mm high x 430mm wide x 400mm deep



**SMT/8P**

Technomax safe in cream colour with electronic locking & physical key over-ride

8mm door

6 lever double bitted key lock

Ideal as a safe for drugs & first aid applications

600mm high x 430mm wide x 400mm deep





### ALP SAFES

Digital keypad /  
electronic locking safe

Manually retracting bolts  
rounded security door

shelf, carpet and fixings  
included

This safe comes with a  
key over-ride,  
power over-ride and  
code over-ride



| Article | External dimensions mm. |       |       | Weight |
|---------|-------------------------|-------|-------|--------|
|         | Height                  | Width | Depth |        |
| 728/ALP | 200                     | 310   | 280   | 10Kg   |
| 730/ALP | 220                     | 350   | 300   | 14Kg   |
| 745/ALP | 200                     | 400   | 450   | 16Kg   |



Silca key blank  
5SCM10

### MB/0

Small safe with a 10mm  
door and a 6 lever lock.

Supplied with 2 keys,  
wall fixings and fitting  
instructions in a display  
box.

H. 130mm x  
W. 220mm x  
D. 120mm  
4 Kg



Silca key blank  
5SCM10

### MB/0 SLOT

Small safe with a coin  
slot .

10mm door and a 6  
lever lock.

Supplied with 2 keys,  
wall fixings and fitting  
instructions in a display  
box.

COIN SLOT

H. 130mm x  
W. 220mm x  
D. 120mm  
4 Kg



### CK/40

40 hook key cabinet

6 lever double bitted key  
lock, rolling bolts,  
anti-bludgeon door  
470mm high  
360mm wide  
140mm deep



### CK/120

120 hook key cabinet

6 lever double bitted key  
lock, rolling bolts,  
anti-bludgeon door  
470mm high  
360mm wide  
140mm deep



### CE/40

40 hook key cabinet

Electronic locking,  
rolling bolts,  
anti-bludgeon door  
470mm high  
360mm wide  
140mm deep

Includes 6 lever  
double bitted  
over-ride key



### CE/120

120 hook key cabinet

Electronic locking,  
rolling bolts,  
anti-bludgeon door  
470mm high  
360mm wide  
140mm deep

Includes 6 lever  
double bitted  
over-ride key





**HS400SC**

Steel gun safe for 4 rifles

6 lever double bitted key locking

Locking ammunition compartment

1560mm high  
365mm wide  
320mm deep

**HS400SCE**

As above but with electronic lock



**HS600SC**

Steel gun safe for 6 rifles

6 lever double bitted key locking

Locking ammunition compartment

1560mm high  
535mm wide  
320mm deep

**HS600SCE**

As above but with electronic lock



**Viro**

**4430**

VIRO gun safe for 3 rifles

Has internal shelf  
Economically priced  
1500mm high  
200mm wide  
260mm deep

**TRIGGER LOCK**

The Master Lock  
Helps prevent  
unauthorized firing



**FLOORBOARD SAFE**



**SECS DSTBEX**

Strongbox DIY floorboard safe

Fitted with a Mauer 8 lever VdS approved lock

Supplied in an attractive display box

